




FLANGIATO DIA 63

**Manometro Flangiato Dia 63 1
4" gas Cl.1.6**

**Flanged Pressure Gauge Dia 63 1
4" gas Cl.1.6**


Manometri per fluidi non corrosivi a temperature tra i -20
+80°C

Movimento amplificatore di precisione in ottone.

Quadrante in alluminio verniciato a forno

Elemento manometrico: - tubo Bourdon in lega di rame
per pressioni da -1 a 40 bar. - tubo a spirale in lega di
rame per pressioni da 50 a 1000 bar. Saldature in lega di
stagno.

Grado di protezione Ip 65.

Sovrapressione ammessa sui manometri standard. -

Statica: 3/4 - Fluttuante: 2/3 del valore di fondo scala
del manometro.

Pressure gauges for non-corrosive fluids at temperatures
between -20 and +80°C

Precision amplifier movement in brass. Dial in stove-
enamelled aluminium

Pressure gauge parts: - Bourdon tube in copper alloy for
pressure ratings from -1 to 40 bar. - spiral tube in copper
alloy for pressure ratings from 50 to 1000 bar.

Protection degree Ip 65

Overpressure permitted on standard gauges. - Steady:
3/4 - Fluctuating: 2/3 of full scale value of the gauge.

	Quantità	codice	SCALA		A		B		I		NOTE
			[psi]	[bar]	[in]	[mm]	[in]	[mm]	[in]	[mm]	
+	<input type="text"/>	79AF63001	14,5	1	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63002	29.0	2,5	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63004	58.0	4	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63006	87.0	6	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63010	145	10	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63012	174	12	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63016	232	16	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63025	362,1	25	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63040	580,2	40	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63060	870	60	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63100	1450	100	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63160	2320	160	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63250	3625	250	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63400	5801	400	3,43	87	1,81	46	0,14	3,6	
+	<input type="text"/>	79AF63600	8702	600	3,43	87	1,81	46	0,14	3,6	